



BOSEN LED

Your Smart Choice

SS-160UV

: SS-160UV-XX

: 160W

: V01

: 2021-05-29


SS-160UV

崧盛电源
LED DRIVER



LED DRIVER

UV



- 92%
-
- 全方位保护：短路/过温/ /过
- 质保3年

SS-160UV 160W LED
 LED LED
 UVLED UVLED UVLED UVLED UVLED UVLED

型号		最大输出功率				()	
SS-160UV-65B	180-264Vac	159.25W	40-65V	1.7-2.45A	2W	92%	90

1. 220Vac , 25°C;
2. LED LED



SS-160UV

	200Vac		240Vac	
	180Vac		264Vac	
	47Hz	50/60Hz	63Hz	
			2.2A	18
			200W	
(220Vac)			100A	
			2V	

	40V			
9				
u5	AOC)			
0			25W	
@ 220Vac				
			+ 5%	
			10%	20MHz
R"Qu*) , ^&*			+1%	
			+ 2%	
			1S	
	-0.0 0.0 .2c		+0.03%/	0 ~90



SS-160UV



0-10V		0V		12V	DIM+ 100uA
		10%Ioset		100%Ioset	DIM+/DIM-
		0V		10V	
PWM	PWM	9.8V		10.2V	DIM+ 100uA
	PWM	0V		0.3V	DIM+/DIM-
	PWM	1KHz		2KHz	
	PWM	0%		100%	
		0Kohm		100Kohm	DIM+ 100uA
		10%Ioset		100%Ioset	
		0.7V	0.9V	1.1V	
		1.0V	1.2V	1.4V	
	70	30,000 hours			80% ,220Vac
	MTBF	200,200 hours			220Vac, , 25 (MIL-HDBK-217F)
		90			
		3			70
		790g			
		179mm*71mm*39.6mm			x x

25 LED










Q. S. ff€ D P

Vs. (60)

Q. S. ff€ (




Vs. (Vin= 220Vac)





— AOC





SS-160UV



V00		2020/07/05	
V01		2021/05/29	

